


# Keysight Technologies

## Extended Service Period Solutions Model Numbers

2017

Selection Guide



## Extended Service Period Solutions

### Expanding list of instruments

Keysight continues to add to the list of older instruments that can be repaired and calibrated at over 50 service centers worldwide. Use Keysight Infoline to check current availability of an instrument.

To discuss your program needs contact your local Keysight representative.

[www.keysight.com/find/assist](http://www.keysight.com/find/assist)

### Solution model numbers

Model number	Description	Extended Service Period repair agreement available	Per-incident repair service available	Calibration service available
4284A	Precision LCR meter, 20 Hz to 1 MHz		Yes	Yes
42841A	Bias current source	Yes	Yes	Yes
4287A	RF LCR meter, 3 GHz	Yes	Yes	Yes
4338B	Milliohm meter	Yes	Yes	Yes
4395A	Network/spectrum/impedance analyzer	Yes	Yes	Yes
4396B	RF network/spectrum/impedance analyzer		Yes	Yes
8510C	Vector network analyzer	Yes		Yes
8511A	Frequency converter, 45 MHz to 26.5 GHz	Yes		Yes
8511B	Frequency converter, 45 MHz to 50 GHz	Yes		Yes
8514B	S-parameter test set, 45 MHz to 20 GHz	Yes		Yes
8515A	S-parameter test set, 45 MHz to 26.5 GHz	Yes		Yes
8517A	S-parameter test set, 45 MHz to 50 GHz	Yes		Yes
8517B	S-parameter test set, 45 MHz to 50 GHz	Yes		Yes
8530A	Microwave receiver (for antenna test systems)	Yes		Yes
8560EC	Portable spectrum analyzer, 30 Hz to 2.9 GHz	Yes	Yes	Yes
8562EC	Portable spectrum analyzer, 30 Hz to 13.2 GHz	Yes	Yes	Yes
8563EC	Portable spectrum analyzer, 9 kHz to 26.5 GHz	Yes	Yes	Yes
8564EC	Portable spectrum analyzer, 9 kHz to 40 GHz		Yes	Yes
8565EC	Portable spectrum analyzer, 9 kHz to 50 GHz		Yes	Yes
8644B	Synthesized signal generator, 0.252 to 1030 MHz		Yes	Yes
8648C	Synthesized RF signal generator, 9 kHz to 3200 MHz		Yes	Yes
8720C	Network analyzer, 50 MHz to 20 GHz		Yes	Yes
8720D	Network analyzer, 50 MHz to 20 GHz		Yes	Yes
8722D	Network analyzer, 50 MHz to 40 GHz		Yes	Yes
8722ES	Vector network analyzer, 50 MHz to 40 GHz		Yes	Yes
8757D	Scalar network analyzer	Yes	Yes	Yes
8902A	Measuring receiver, 150 kHz to 1.3 GHz		Yes	Yes
54855A	6 GHz Infiniium scope, 4 ch, 20 GSa/s per ch		Yes	Yes
70100A	MMS power meter		Yes	Yes
83496A	Clock recovery module		Yes	Yes
83620A	Synthesized sweeper, 10 MHz to 20 GHz	Yes		Yes
83620B	Synthesized sweeper, 10 MHz to 20 GHz	Yes		Yes
83621A	Synthesized sweeper, 45 MHz to 20 GHz	Yes		Yes
83621B	Synthesized sweeper, 45 MHz to 20 GHz	Yes		Yes
83622A	Synthesized sweeper, 2 to 20 GHz	Yes		Yes
83622B	Synthesized sweeper, 2 to 20 GHz	Yes		Yes
83623A	Synthesized sweeper, 10 MHz to 20 GHz	Yes		Yes
83623B	Synthesized sweeper, 10 MHz to 20 GHz	Yes		Yes

Model number	Description	Extended Service Period repair agreement available	Per-incident repair service available	Calibration service available
83623L	Synthesized sweeper, 10 MHz to 20 GHz	Yes		Yes
83624A	Synthesized sweeper, 2 to 20 GHz	Yes		Yes
83624B	Synthesized sweeper, 2 to 20 GHz	Yes		Yes
83630A	Synthesized sweeper, 10 MHz to 26.5 GHz	Yes		Yes
83630B	Synthesized sweeper, 10 MHz to 26.5 GHz	Yes		Yes
83630L	Synthesized sweeper, 10 MHz to 26.5 GHz	Yes		Yes
83631A	Synthesized sweeper, 45 MHz to 26.5 GHz	Yes		Yes
83631B	Synthesized sweeper, 45 MHz to 26.5 GHz	Yes		Yes
83640A	Synthesized sweeper, 10 MHz to 40 GHz	Yes		Yes
83640B	Synthesized sweeper, 10 MHz to 40 GHz	Yes		Yes
83640L	Synthesized sweeper, 10 MHz to 40 GHz	Yes		Yes
83650A	Synthesized sweeper, 10 MHz to 50 GHz	Yes		Yes
83650B	Synthesized sweeper, 10 MHz to 50 GHz	Yes		Yes
83650L	Synthesized sweeper, 10 MHz to 50 GHz	Yes		Yes
83651A	Synthesized sweeper, 45 MHz to 50 GHz	Yes		Yes
83651B	Synthesized sweeper, 45 MHz to 50 GHz	Yes		Yes
83712B	Synthesized CW generator, 10 MHz to 20 GHz		Yes	Yes
83732B	Synthesized signal generator, 10 MHz to 20 GHz		Yes	Yes
85105A	Millimeter-wave test set controller	Yes		Yes
85108A	Pulsed-RF network analyzer system, 2 to 20 GHz	Yes		Yes
85108L	Pulsed-RF network analyzer system, 45 MHz to 2 GHz	Yes		Yes
85110A	S-parameter test set, 2 to 20 GHz	Yes		Yes
85110L	S-parameter test set, 45 MHz to 2 GHz	Yes		Yes
85301B	Antenna and amplifier radar cross-section measurement system	Yes		Yes
85301C	Antenna and amplifier radar cross-section measurement system	Yes		Yes
86105CH85	Module, 9 GHz optical/20 GHz electrical, 8.5, 9.953 to 11.315 Gb/s filters, 750 to 1650 nm, requires Opt 197 and 400	Yes	Yes	Yes
DS07104A	Infiniium oscilloscope - 1 GHz, 4 GSa/s, 4 Ch		Yes	Yes
DS08064A	Oscilloscope, digital storage - Infiniium, 600 MHz, 2/4 GSa/s, 4 Ch		Yes	Yes
DS08104A	Oscilloscope, digital storage - Infiniium, 1 GHz, 2/4 GSa/s, 4 Ch		Yes	Yes
DS080204B	Infiniium oscilloscope - 2 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS080304B	Infiniium oscilloscope - 3 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS080404B	Infiniium oscilloscope - 4 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS080604B	Infiniium oscilloscope - 6 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS080804B	Infiniium oscilloscope - 8 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS081004B	Infiniium oscilloscope - 10 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS081204B	Infiniium oscilloscope - 12 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
DS081304B	Infiniium oscilloscope - 13 GHz, 20/40 GSa/s, 4 Ch	Yes		Yes
MS07104A	Infiniium oscilloscope - 1 GHz, 4 GSa/s, 4 Ch		Yes	Yes
MS08064A	Oscilloscope, mixed signal - Infiniium, 600 MHz, 2/4 GSa/s, 4+16 Ch		Yes	Yes
MS08104A	Oscilloscope, mixed signal - Infiniium, 1 GHz, 2/4 GSa/s, 4+16 Ch		Yes	Yes
E1437A	20 MSa/s, 23 bit, ADC with filter and FIFO (Form factor: C-1, VXI)		Yes	Yes
E4400B	ESG-A analog Series RF signal generator, 1 GHz		Yes	Yes
E4418B	Power meter - EPM Series, single channel	Yes	Yes	Yes
E4419B	Power meter - EPM Series, dual channel	Yes	Yes	Yes
E4432B	ESG-D digital Series RF signal generator, 3 GHz		Yes	Yes
E4433B	ESG-D digital Series RF signal generator, 4 GHz		Yes	Yes
E4436B	ESG-DP digital Series RF signal generator, 3 GHz		Yes	Yes

Model number	Description	Extended Service Period repair agreement available	Per-incident repair service available	Calibration service available
E5052A	10 MHz to 7 GHz signal source analyzer		Yes	Yes
E5061A	Network analyzer, 1.5 GHz	Yes	Yes	Yes
E5062A	Network analyzer, 3 GHz	Yes	Yes	Yes
E5070B	ENA Series network analyzer, 300 kHz to 3 GHz		Yes	Yes
E5071B	ENA Series network analyzer, 300 kHz to 8.5 GHz		Yes	Yes
E5515B	8960 Series 10 wireless communications test set	Yes		Yes
E7340A	Single sweep, network analyzer system, 45 MHz to 85 GHz	Yes		Yes
E7350A	Single sweep, network analyzer system, 45 MHz to 110 GHz	Yes		Yes
E7402A	EMC analyzer, 9 kHz to 3.0 GHz	Yes	Yes	Yes
E7405A	EMC analyzer, 9 kHz to 26.5 GHz	Yes	Yes	Yes
E8247C	PSG CW signal generator		Yes	Yes
E8257C	PSG analog signal generator		Yes	Yes
E8267C	PSG vector signal generator		Yes	Yes
E8357A	Vector network analyzer, 300 kHz to 6 GHz, 2 port, 4 receiver		Yes	Yes
E8358A	Vector network analyzer, 300 kHz to 9 GHz, 2 port, 4 receiver		Yes	Yes
E8361A	Microwave vector network analyzer, 10 MHz to 67 GHz	Yes	Yes	Yes
E8362B	Vector network analyzer, 10 MHz to 20 GHz, 2 port, 4 receiver	Yes	Yes	Yes
E8362BH85	E8362B high power capable, 10 MHz to 20 GHz vector network analyzer, 2 port, 4 receiver, source attenu no bias tees	Yes	Yes	Yes
E8363B	Vector network analyzer, 10 MHz to 40 GHz, 2 port, 4 receiver	Yes	Yes	Yes
E8363BH85	E8363B high power capable, 10 MHz to 40 GHz vector network analyzer, 2 port, 4 receiver, source attenu no bias tees	Yes	Yes	Yes
E8364B	Vector network analyzer, 10 MHz to 50 GHz, 2 port, 4 receiver	Yes	Yes	Yes
E8364BH85	E8364B high power capable, 10 MHz to 50 GHz vector network analyzer, 2 port, 4 receiver, source attenu no bias tees	Yes	Yes	Yes
N1996A	CSA spectrum analyzer	Yes	Yes	Yes
N4691A	3.5 mm Ecal module, 10 MHz to 26.5 GHz		Yes	Yes
N4901B	Serial BERT 13.5 Gb/s		Yes	Yes
N4903A	Serial BERT 12.5 Gb/s	Yes	Yes	Yes
N5230A	PNA-L network analyzer	Yes	Yes	Yes
N5242AH85	Performance network analyzer high power configurable	Yes	Yes	Yes
N5532A	Sensor module		Yes	Yes
Q85104A	WR-22 test set module, 33 to 50 GHz	Yes		Yes
U85104A	WR-19 test set module, 40 to 60 GHz	Yes		Yes
V85104A	WR-15 test set module, 50 to 75 GHz	Yes		Yes
W85104A	WR-10 test set module, 75 to 110 GHz	Yes		Yes
V85104A	WR-15 test set module, 50 to 75 GHz	Yes		Yes
W85104A	WR-10 test set module, 75 to 110 GHz	Yes		Yes

**KEYSIGHT SERVICES**  
Accelerate Technology Adoption.  
Lower costs.

Keysight Services  
[www.keysight.com/find/service](http://www.keysight.com/find/service)

Our deep offering in design, test, and measurement services deploys an industry-leading array of people, processes, and tools. The result? We help you implement new technologies and engineer improved processes that lower costs.



Unlocking Measurement Insights

This information is subject to change without notice.  
© Keysight Technologies, 2015 - 2016  
Published in USA, November 23, 2016  
5992-0982EN  
[www.keysight.com](http://www.keysight.com)