


Unprecedented speed, resolution
and channel density.



Agilent M9703A 12-bit High-Speed Digitizer

	Standard	Interleaving option (INT)
Channel	8 channels	4 channels
Sampling Rate	1.6 GS/s (with SR2) or 1 GS/s (with SR1)	3.2 GS/s (with SR2) or 2 GS/s (with SR1)
Bandwidth	DC to 2 GHz (with F10) or DC to 650 MHz (with F05)	DC to 1 GHz (with F10) or DC to 650 MHz (with F05)

The Agilent AXIe high-speed digitizer provides the ideal solution for advanced experiments in hydrodynamics, plasma fusion, and particle physics. With this module you can build a large number of synchronous acquisition channels with unprecedented measurement fidelity in the smallest footprint. Advanced IP design, state-of-the-art technology, and on-board real-time data processing are combined to achieve outstanding performance.



Scan QR code or visit
<http://goo.gl/PwjgC>
to see the AXIe
digitizer video demo



Discover how to simplify your high-speed multichannel acquisition system
www.agilent.com/find/PhysicsAXIe

Photos courtesy of CERN. © Copyright CERN. Information, descriptions, and specifications are subject to change without notice. © 2012 Agilent Technologies, Inc. Printed in Switzerland, July 9, 2012 5991-0808EN

